



New flat panel mobile carts and stands maximize flat panel display technology. Perfect for a wide range of applications, these products are packed with innovative features that put your content in focus. Ideal for rental and staging, digital signage, video conferencing, education, boardrooms and more!

www.chiefmfg.com



UNIVERSAL MOBILE CARTS & STANDS

FLAT PANEL MOUNTS & ACCESSORIES



Centris Technology



Telescoping Height Adjustment




Portrait/Landscape Display Positions



Cable Management

VIDEO CONFERENCING CART

PFCKIT200A



MOBILE DISPLAY FEATURES

CENTRIS® FINGERTIP TILT

Effortlessly adjust display using Centris fingertip tilt technology. Screen angle stays set until you decide to readjust.

TELESCOPING HEIGHT ADJUSTMENT

Integrated knob provides tool-less telescoping adjustment from 4 ft. (120 cm) to 6 ft. (180 cm). Height adjustment made easier by adding one of the new PAC780/PAC782/PAC784 Height Assist accessories.

PORTRAIT/LANDSCAPE CAPABILITY

Mounts in either portrait or landscape position.

COMPACT ANGLED BASE

Optimized for doorways and corner locations.

LOCKABLE REAR WHEELS

Provides added stability.



MOBILE CARTS & STANDS



PPCU Mobile Cart,
Single Monitor



PFCU Mobile Cart,
Single Monitor



PF1U Display Stand,
Single Monitor



PF2U Display Stand,
Dual Monitor




PFMU Confidence Cart,
Single Monitor



PFQU Confidence Cart,
Single Monitor

FEATURED ACCESSORIES

Configure a custom solutions with a variety of accessories that integrate seamlessly.



1

PAC722™
Side-by-side
Dual Display




5

PAC251™
CPU Adapter



2

PAC715™
VC Shelves (above)



6

PAC790™
Swivel Adapter



3

PAC735™ (A/B/C)
Stackable Secure
Storage Cabinet



4

PAC717™
Literature Shelf



7

PAC784™
Height Assist

DIGITAL SIGNAGE FLOOR STAND

PF1KIT100





UNIVERSAL MOBILE CARTS & STANDS

SPECIFICATIONS - FLAT PANEL MOUNTS

MSBU™ Universal Interface Bracket	Model	Description	Tilt	Screen Size	Height Adjustment	Weight Cap (per display)	Color(s)*
	MFCU™	Mobile Cart , Single Display	±15°	30" – 55"	4 ft – 6 ft (1.2 – 1.8 m)	125 lbs (56.7 kg)	■ ■
	MF1U™	Display Stand , Single Display	±15°	30" – 55"	4 ft – 7 ft (1.2 – 2.1 m)	125 lbs (56.7 kg)	■ ■
	MF2U™	Display Stand , Dual Display	±15°	30" – 55"	4 ft – 7 ft (1.2 – 2.1 m)	125 lbs (56.7 kg)	■ ■
	MFMU™	Mobile Cart , Single Monitor	+15°/ +45°	30" – 55"	3 ft – 4 ft (91 - 120 cm)	125 lbs (56.7 kg)	■ ■
	MFQU™	Mobile Cart , Single Monitor	+15°/ +45°	30" – 55"	2 ft – 2.5 ft (0.6 - 0.8 m)	125 lbs (56.7 kg)	■ ■
PSBU™ Universal Interface Bracket	PFCU™	Mobile Cart , Single Display	±15°	42" – 71"	4 ft – 6 ft (1.2 – 1.8 m)	200 lbs (90.7 kg)	■ ■
	PF1U™	Display Stand , Single Display	±15°	42" – 71"	4 ft – 7 ft (1.2 – 2.1 m)	200 lbs (90.7 kg)	■ ■
	PF2U™	Display Stand , Dual Display	±15°	42" – 71"	4 ft – 7 ft (1.2 – 2.1 m)	200 lbs (90.7 kg)	■ ■
	PFMU™	Mobile Cart , Single Monitor	+15°/ +45°	42" – 71"	3 ft – 4 ft (0.9 - 1.2 m)	200 lbs (90.7 kg)	■ ■
	PFQU™	Mobile Cart , Single Monitor	+15°/ +45°	42" – 71"	2 ft – 2.5 ft (0.6 - 0.8 m)	200 lbs (90.7 kg)	■ ■
	PPCU™	Mobile Cart , Single Monitor	—	42" – 71"	45" – 59" (in 2" increments)	200 lbs (90.7 kg)	■

* To specify color options, add S (silver) or B (Black) to the model number.

ADDITIONAL ACCESSORIES



PAC720™
Dual Display



PAC730™ (A/B/C)
Secure Storage Shelf



PAC770™
Heavy-Duty Casters



PAC775™
Outdoor Casters



PACCC1™
Center Speaker Adapter



PACLRL™
Left/Right Speaker Adapter



PAC700™
Travel Case

Configure a custom solution using Chief's exclusive MountBuilder at www.chiefmfg.com.

end-user focused

faster installation

superior service

proven quality

CHIEF MANUFACTURING

■ A DIVISION OF MILESTONE AV TECHNOLOGIES ■ www.chiefmfg.com