

SableFrame Series

- Home Cinema Fixed Frame Front Projection Screen
- Entry-level Fixed Frame Screens



FEATURES & BENEFITS

- Fixed Frame screen is designed for today's 720P and 1080P Home Cinema projectors
- Black velvet surfaced covered 2.36" aluminum frame enhances overall appearance and absorbs projector light overshoot
- Highly Versatile CineWhite 1.1 flat tensioned screen material
- Standard black backed screen material eliminates light penetration
- Adjustable fix plates provide equal tension over the entire projection surface
- Sliding wall mount is horizontally adjustable for easy picture centering
- Available diagonal sizes from 92", 100", 106", 110" and 120" in 16:9 HDTV format
- 2-year parts and labor premium warranty

SableFrame Series: Fixed Frame Front Projection Screen for Entry Home Cinema Projector

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
ER92WH1	92" (16:9)	45.0	79.9	124.0	221.0	Yes	22.0	31.6	10.0	14.3	54.4"x4.7"x12.5"	1.1	CineWhite	2.36"/6cm
ER100WH1	100" (16:9)	49.0	87.0	132.1	234.2	Yes	24.1	34.2	10.9	15.5	57.9"x4.7"x12.5"	1.1	CineWhite	2.36"/6cm
ER106WH1	106" (16:9)	51.9	92.2	131.8	234.2	Yes	25.2	35.7	11.5	16.2	61.0"x4.7"x12.6"	1.1	CineWhite	2.36"/6cm
ER110WH1	110" (16:9)	54.0	96.0	137.2	243.8	Yes	26.2	36.6	11.9	16.6	63.2"x4.7"x12.5"	1.1	CineWhite	2.36"/6cm
ER120WH1	120" (16:9)	59.0	104.7	167.6	297.2	Yes	28.5	40.1	12.9	18.2	67.8"x4.7"x12.5"	1.1	CineWhite	2.36"/6cm

SableFrame Series Dimensions Table

Model	Screen Diag. & Aspect Ratio	Overall Width (A1)	Viewing Width (A)	Overall Height (B1)	Viewing Height (B)	Frame Width (C)	Frame Height (D)
ER92WH1	92" (16:9)	2157	2037	1265	1145	60	40
ER100WH1	100" (16:9)	2334	2214	1365	1245	60	40
ER106WH1	106" (16:9)	2467	2347	1440	1320	60	40
ER110WH1	110" (16:9)	2555	2435	1490	1370	60	40
ER120WH1	120" (16:9)	2777	2657	1614	1494	60	40


Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	Overall Width (A1)	Viewing Width (A)	Overall Height (B1)	Viewing Height (B)	Frame Width (C)	Frame Height (D)
ER92WH1	92" (16:9)	84.9	80.2	49.8	45.1	2.4	1.6
ER100WH1	100" (16:9)	91.9	87.2	53.7	49.0	2.4	1.6
ER106WH1	106" (16:9)	97.1	92.4	56.7	52.0	2.4	1.6
ER110WH1	110" (16:9)	100.6	95.9	58.7	53.9	2.4	1.6
ER120WH1	120" (16:9)	109.3	104.6	63.5	58.8	2.4	1.6

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"



ezFrame Series


- Premium Cinema Fixed Frame Screen
- Home theater Fixed Frame Projection Screen




FEATURES & BENEFITS

- Home Theater Screen with full tension uniformity
- Anodized black aluminum 2.36" frame thickness with Pro-Trim black velour surfacing to enhance the appearance with the stylish masked border that absorbs light overshoot.
- 1.33(4:3/NTSC), 1.78(16:9/HDTV) AND 2.35:1 Aspect Ratios Available
- Available Screen Materials
 - » CineWhite (1.1 GAIN)
 - » CineGrey (1.0 GAIN)
 - » PowerGain (Optional 1.8 GAIN)
 - » AcousticPro1080 (1.0 GAIN)
 - » Wraith Veil (2.2 GAIN Rear Projection)
- In-Stock Size Available from Diag. 84" - 200" (508CM)
- Easy to assemble and install in minutes
- Sliding wall mounts ensure the installation is properly centered
- 2 Year Manufacturer's Replacement Warranty







CineWhite Tension Screen Material has a wide viewing Angle in 1.1 Gain, suitable for most applications including commercial and home theater presentations.



CineGrey Tension Screen Material is best for those using low contrast ratio (LCD) projectors in a home theater environment and need to improve picture black levels.



Wraith Veil Elite's rear projection screen material comes in 2.2 high gain to be used in ambient light environments, such as tradeshow, meeting rooms, and outside evening presentations. Its special surface coating enhances color reproduction and black level reproduction with wide diffusion for multiple applications. Optional seamless screen sizes are available up to 200" in 4:3 and 16:9 aspect ratios.



Elite's **AcousticPro1080™** material is designed for use with a native 1080P front projector. It has a special fabric weave for acoustic transparency that greatly reduces light penetration. It is a 1.0 Gain matte white mesh material with outstanding sound quality, damping at 20 KHz only 2.0dB and Max. Attenuation at 20cm is around 1.1db. The side-weave mesh pattern has only a 8% light loss, and coated fabric provides true color rendition to ensure both audio and video quality with each presentation. The Elite AcousticPro1080™ Woven Acoustically Transparent Screen is your best choice for use with high quality in-wall audio installations and 1080P projectors and has a detachable black-backing on its fixed frame models.



Easily attached Frame Tension System, allows perfect tension uniformity with a simple procedure. Standard Black Backed Screen Material prevents light penetration for superior color reproduction.

The aluminum Sliding Wall Brackets provide the installer with a simple solution to screen installation and adjustable horizontal centering.



Standard 2.36" Black Velvet Surfacd Frame enhances the perceived brightness of the projection image with superior contrast and color reproduction for sharper picture quality. Wide-Borders also absorb light overshoot to professionally matte your presentation.



"I found that it had a decent reflectivity to it, but didn't suffer too much from hot spotting (which obviously you would expect from a lower gain screen), nor did it have any sparkles or other anomalies to it. Elite certainly has a good idea here. Good performance, good build quality, and good features in a screen, for a lower price point."

AV Science, NY

fixed wall projector screen is much over double the price. Color was virtually identical, but yellows did appear just a touch stronger than on the Firehawk®. This was very close and not an issue. Overall color was very good. With a 100" 16:9 Elite ezFrame screen selling for about half of a Da-Lite Cinema Contour with ProTrim (their fancy velourish border), and barely a 1/3 of a Stewart Luxus Deluxe, it allows home theater people to own an attractive looking fixed wall screen, with good performance, at a price that simply isn't available from the larger established brands.

Art Feierman / Projectorreviews.com

ezFrame Series: Fixed Frame Front Projection Screen for Advance Commerical and Home Cinema Projector

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
R84WV1	84" (4:3)	50.0	67.0	127.0	170.2	Yes	23.4	34.8	10.6	15.8	59.6" x 4.6" x 12.5"	1.1	CineWhite	2.36"/6cm
R100WV1	100" (4:3)	60.0	80.0	152.4	203.2	Yes	27.9	40.5	12.7	18.4	69.1" x 4.6" x 12.5"	1.1	CineWhite	2.36"/6cm
R120WV1	120" (4:3)	72.0	96.0	182.9	243.8	Yes	33.2	47.1	15.1	21.4	81.1" x 4.6" x 12.5"	1.1	CineWhite	2.36"/6cm
R135WV1	135" (4:3)	81.0	108.0	205.7	274.3	Yes	31.9	54.3	14.5	24.6	90.2" x 4.6" x 12.5"	1.1	CineWhite	2.36"/6cm
R150WV1	150" (4:3)	90.0	120.0	228.6	304.8	Yes	45.0	52.0	20.4	23.6	99" x 4.6" x 12.5"	1.1	CineWhite	2.36"/6cm
R180WV1	180" (4:3)	108.0	144.0	274.3	365.8	No	49.1	68.9	22.3	31.3	117" x 4.6" x 12.5"	1.1	CineWhite	2.36"/6cm
R200WV1	200" (4:3)	120.0	160.0	304.8	406.4	No	50.7	72.3	23.0	32.8	129" x 4.6" x 12.5"	1.1	CineWhite	2.36"/6cm
R84RH1	84" (16:9)	41.2	73.3	105.2	186.2	Yes	22.9	32.6	10.4	14.8	50.5"x4.6"x12.5"	1.0	CineGrey	2.36"/6cm
R84WH1	84" (16:9)	41.2	73.3	105.2	186.2	Yes	22.9	32.6	10.4	14.8	50.5"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R92H1	92" (16:9)	45.0	79.9	115.1	202.9	Yes	24.0	35.0	10.9	15.9	54.7"x4.6"x12.5"	1.0	CineGrey	2.36"/6cm
R92WH1	92" (16:9)	45.0	79.9	124.0	221.0	Yes	24.0	35.0	10.9	15.9	54.7"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R100H1	100" (16:9)	49.0	87.0	124.0	221.0	Yes	25.8	37.6	11.7	17.1	58"x4.6"x12.5"	1.0	CineGrey	2.36"/6cm
R100WH1	100" (16:9)	49.0	87.0	132.1	234.2	Yes	25.8	37.6	11.7	17.1	58"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R106H1	106" (16:9)	51.9	92.2	132.1	234.2	Yes	27.8	39.7	12.6	18.0	61"x4.6"x12.5"	1.0	CineGrey	2.36"/6cm
R106WH1	106" (16:9)	51.9	92.2	131.8	234.2	Yes	27.8	39.7	12.6	18.0	61"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R110WH1	110" (16:9)	54.0	96.0	137.2	243.8	Yes	28.7	40.8	13.0	18.5	65"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R120H1	120" (16:9)	59.0	104.7	149.1	265.9	Yes	30.5	44.0	13.8	20.0	68"x4.6"x12.5"	1.0	CineGrey	2.36"/6cm
R120WH1	120" (16:9)	59.0	104.7	167.6	297.2	Yes	30.5	44.0	13.8	20.0	68"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R135H1	135" (16:9)	66.2	117.7	168.1	299.0	Yes	36.4	49.6	16.5	22.5	75.6"x4.6"x12.5"	1.0	CineGrey	2.36"/6cm
R135WH1	135" (16:9)	66.2	117.7	168.1	299.0	Yes	36.4	49.6	16.5	22.5	75.6"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R150WH1	150" (16:9)	73.6	130.7	186.9	332.0	Yes	40.8	56.2	18.5	25.5	82.8"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R165WH1	165" (16:9)	81.0	144.0	205.7	365.8	Yes	44.1	59.5	20.0	27.0	90"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R180WH1	180" (16:9)	88.3	156.9	224.3	398.5	Yes	47.0	68.3	21.3	31.0	97.6"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm
R200WH1	200" (16:9)	98.0	174.0	248.9	442.0	Yes	49.7	69.3	22.3	31.5	107"x4.6"x12.5"	1.1	CineWhite	2.36"/6cm

ezFrame Rear Series: Fixed Frame Rear Projection Screen for Commercial and Residential

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
R84RV1	84" (4:3)	50.0	67.0	127.0	170.2	Yes	23.4	34.8	10.6	15.8	59.6" x 4.6" x 12.5"	2.2	Wraith Veil	2.36"/6cm
R100RV1	100" (4:3)	60.0	80.0	152.4	203.2	Yes	27.9	40.5	12.7	18.4	69.1" x 4.6" x 12.5"	2.2	Wraith Veil	2.36"/6cm
R120RV1	120" (4:3)	72.0	96.0	182.9	243.8	Yes	33.2	47.1	15.1	21.4	81.1" x 4.6" x 12.5"	2.2	Wraith Veil	2.36"/6cm
R135RV1	135" (4:3)	81.0	108.0	205.7	274.3	Yes	31.9	54.3	14.5	24.6	90.2" x 4.6" x 12.5"	2.2	Wraith Veil	2.36"/6cm
R150RV1	150" (4:3)	90.0	120.0	228.6	304.8	Yes	45.0	52.0	20.4	23.6	99" x 4.6" x 12.5"	2.2	Wraith Veil	2.36"/6cm
R180RV1	180" (4:3)	108.0	144.0	274.3	365.8	No	49.1	68.9	22.3	31.3	117" x 4.6" x 12.5"	2.2	Wraith Veil	2.36"/6cm
R200RV1	200" (4:3)	120.0	160.0	304.8	406.4	No	50.7	72.3	23.0	32.8	129" x 4.6" x 12.5"	2.2	Wraith Veil	2.36"/6cm
R84RH1	84" (16:9)	41.2	73.3	105.2	186.2	Yes	22.9	32.6	10.4	14.8	50.5"x4.6"x12.5"	2.2	Wraith Veil	2.36"/6cm
R92RH1	92" (16:9)	45.0	79.9	124.0	221.0	Yes	24.0	35.0	10.9	15.9	54.7"x4.6"x12.5"	2.2	Wraith Veil	2.36"/6cm
R100RH1	100" (16:9)	49.0	87.0	132.1	234.2	Yes	25.8	37.6	11.7	17.1	58"x4.6"x12.5"	2.2	Wraith Veil	2.36"/6cm
R106RH1	106" (16:9)	51.9	92.2	131.8	234.2	Yes	27.8	39.7	12.6	18.0	61"x4.6"x12.5"	2.2	Wraith Veil	2.36"/6cm
R110RH1	110" (16:9)	54.0	96.0	137.2	243.8	Yes	28.7	40.8	13.0	18.5	65"x4.6"x12.5"	2.2	Wraith Veil	2.36"/6cm
R120RH1	120" (16:9)	59.0	104.7	167.6	297.2	Yes	30.5	44.0	13.8	20.0	68"x4.6"x12.5"	2.2	Wraith Veil	2.36"/6cm
R135RH1	135" (16:9)	66.2	117.7	168.1	299.0	Yes	36.4	49.6	16.5	22.5	75.6"x4.6"x12.5"	2.2	Wraith Veil	2.36"/6cm
R144RX1	144" (16:10)	76.3	122.0	193.8	309.9	Yes						2.2	Wraith Veil	2.36"/6cm
R171RX1	171" (16:10)	90.4	144.6	229.6	367.3	Yes						2.2	Wraith Veil	2.36"/6cm
R206RX1	206" (16:10)	109.0	174.5	276.9	443.2	Yes						2.2	Wraith Veil	2.36"/6cm
R226RX1	226" (16:10)	119.8	191.7	304.3	486.9	Yes						2.2	Wraith Veil	2.36"/6cm

ezFrame AcousticPro1080 Series: Fixed Frame Acoustic Sound Transparent Front Projection Screen for Advance Home Cinema 1080P Projector

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
R84WH1-A1080	84" (16:9)	41.4	73.3	105.2	186.2	Yes	22.9	32.6	10.4	14.8	50.5"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R92WH1-A1080	92" (16:9)	45.3	79.9	115.1	202.9	Yes	24.0	35.0	10.9	15.9	54.7"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R100WH1-A1080	100" (16:9)	49.0	87.0	124.5	221.0	Yes	25.8	37.6	11.7	17.1	58"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R106WH1-A1080	106" (16:9)	51.9	92.2	132.1	234.2	Yes	27.8	39.7	12.6	18.0	61"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R110WH1-A1080	110" (16:9)	54.0	96.0	137.2	243.8	Yes	28.7	40.8	13.0	18.5	65"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R120WH1-A1080	120" (16:9)	58.9	104.7	149.1	265.9	Yes	30.5	44.0	13.8	20.0	68"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R135WH1-A1080	135" (16:9)	66.2	117.7	167.6	297.2	Yes	36.4	49.6	16.5	22.5	75.6"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R150WH1-A1080	150" (16:9)	73.6	130.7	186.9	332.0	Yes	40.8	56.2	18.5	25.5	82.8"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R165WH1-A1080	165" (16:9)	81.0	144.0	205.7	365.8	Yes	44.1	59.5	20.0	27.0	90"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R180WH1-A1080	180" (16:9)	87.8	156.0	223.0	396.2	Yes	47.0	68.3	21.3	31.0	97.6"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm
R199WH1-A1080	199" (16:9)	98.0	174.0	248.9	442.0	No	49.7	69.3	22.3	31.5	107"x4.6"x12.5"	1.0	AcousticPro1080	2.36"/6cm

ezFrame Series Dimensions Table

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Frame Width (C)	Frame Height (D)	Net Wight (kgs)
R84H	84" (16:9)	1981.2	1861.8	1170.9	1051.6	60.0	40.0	10.39
R92H	92" (16:9)	2148.8	2029.5	1270.0	1150.6	60.0	40.0	10.87
R100H	100" (16:9)	2329.2	2209.8	1358.9	1239.5	60.0	40.0	11.7
R106H	106" (16:9)	2461.3	2341.9	1440.0	1320.0	60.0	40.0	12.6
R110H	110" (16:9)	2555.0	2435.0	1490.0	1370.0	60.0	40.0	12.2
R120H	120" (16:9)	2778.8	2659.4	1610.4	1491.0	60.0	40.0	13.84
R135H	135" (16:9)	3110.0	2990.0	1800.0	1680.0	60.0	40.0	16.5
R150H	150" (16:9)	3440.0	3320.0	1990.0	1870.0	60.0	40.0	18.27
R165H	165" (16:9)	3772.6	3652.0	2174.0	2054.0	60.0	40.0	19.75
R180H	180" (16:9)	4105.0	3985.0	2360.0	2240.0	60.0	40.0	21.3
R200H	200" (16:9)	4518.0	4398.0	2610.0	2490.0	60.0	40.0	22.25
R84V	84" (4:3)	1827.0	1707.0	1400.0	1280.0	60.0	40.0	10.62
R100V	100" (4:3)	2150.0	2030.0	1640.0	1520.0	60.0	40.0	12.66
R120V	120" (4:3)	2560.0	2440.0	1950.0	1830.0	60.0	40.0	15.07
R135V	135" (4:3)	2860.0	2740.0	2180.0	2060.0	60.0	40.0	14.49
R150V	150" (4:3)	3170.0	3050.0	2410.0	2290.0	60.0	40.0	20.76
R180V	180" (4:3)	3778.0	3658.0	2863.0	2743.0	60.0	40.0	22.25
R200V	200" (4:3)	4184.0	4064.0	3168.0	3048.0	60.0	40.0	23


Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Frame Width (C)	Frame Height (D)	Net Wight (lbs)
R84H	84" (16:9)	78.0	73.3	46.1	41.4	2.4	1.6	22.86
R92H	92" (16:9)	84.6	79.9	50.0	45.3	2.4	1.6	23.91
R100H	100" (16:9)	91.7	87.0	53.5	48.8	2.4	1.6	25.74
R106H	106" (16:9)	96.9	92.2	56.7	52.0	2.4	1.6	27.72
R110H	110" (16:9)	100.6	95.9	58.7	53.9	2.4	1.6	26.84
R120H	120" (16:9)	109.4	104.7	63.4	58.7	2.4	1.6	30.45
R135H	135" (16:9)	122.4	117.7	70.9	66.1	2.4	1.6	36.30
R150H	150" (16:9)	135.4	130.7	78.3	73.6	2.4	1.6	40.19
R165H	165" (16:9)	148.5	143.8	85.6	80.9	2.4	1.6	43.45
R180H	180" (16:9)	161.6	156.9	92.9	88.2	2.4	1.6	46.86
R200H	200" (16:9)	177.9	173.1	102.8	98.0	2.4	1.6	48.95
R84V	84" (4:3)	71.9	67.2	55.1	50.4	2.4	1.6	23.36
R100V	100" (4:3)	84.6	79.9	64.6	59.8	2.4	1.6	27.85
R120V	120" (4:3)	100.8	96.1	76.8	72.0	2.4	1.6	33.15
R135V	135" (4:3)	112.6	107.9	85.8	81.1	2.4	1.6	31.88
R150V	150" (4:3)	124.8	120.1	94.9	90.2	2.4	1.6	45.67
R180V	180" (4:3)	148.7	144.0	112.7	108.0	2.4	1.6	48.95
R200V	200" (4:3)	164.7	160.0	124.7	120.0	2.4	1.6	50.60

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"



Cinema235 Series

- Cinemascope Format Fixed Frame Screen
- Home Cinema Fixed Frame Front Projection Screen



FEATURES & BENEFITS

- 2.35:1 aspect ratio Home Theater Screen with full tension uniformity
- CineWhite 1.1 gain Tension PVC material with black backing
- Anodized black aluminum 2.36" frame thickness with Pro-Trim black velour surfacing to enhance the appearance with the stylish masked border that absorbs light overshoot.
- Available Screen Materials
 - CineWhite (1.1 GAIN)
 - AcousticPro1080 (1.0 GAIN)
- In-Stock Size Available from Diag. 85" - 138" (350.5CM)
- Easy to assemble and install in minutes
- Sliding wall mounts ensure the installation is properly centered
- 2 Year Manufacturer's Replacement Warranty



Cinema235 Series: Premium Cinema Scope Fixed Frame Front Projection Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
R85WH1-Wide	85" (2.35:1)	33.0	77.6	83.8	197.0	Yes	21.0	27.0	9.5	12.2	86"x4"x9"	1.1	CineWhite	2.36"/6cm
R96WH1-Wide	96" (2.35:1)	37.5	88.1	95.3	223.8	Yes	25.5	33.6	11.6	15.2	96.5"x4.4"x9"	1.1	CineWhite	2.36"/6cm
R103WH1-Wide	103" (2.35:1)	40.5	95.2	102.9	241.7	Yes	27.0	35.6	12.2	16.1	102.4"x4"x9"	1.1	CineWhite	2.36"/6cm
R115WH1-Wide	115" (2.35:1)	45.1	106.0	114.6	269.2	No	27.7	40.0	12.6	18.1	113.4"x9.12"x4.12"	1.1	CineWhite	2.36"/6cm
R125WH1-Wide	125" (2.35:1)	49.0	115.2	124.5	292.5	No	29.5	44.0	13.4	20.0	122.5"x9.13"x4.25"	1.1	CineWhite	2.36"/6cm
R138WH1-Wide	138" (2.35:1)	54.0	126.9	137.2	322.3	No	33.7	51.0	15.3	23.1	134.75"x9.25"x4.5"	1.1	CineWhite	2.36"/6cm
R85H1-Wide	85" (2.35:1)	33.0	77.6	83.8	197.0	Yes	21.0	27.0	9.5	12.2	86"x9"x4"	1.0	CineGrey	2.36"/6cm
R96H1-Wide	96" (2.35:1)	37.5	88.1	95.3	223.8	Yes	25.5	33.6	11.6	15.2	96.5"x4.4"x9.25"	1.0	CineGrey	2.36"/6cm
R103H1-Wide	103" (2.35:1)	40.5	95.2	102.9	241.7	Yes	27.0	35.6	12.2	16.1	102.4"x9.25"x4.13"	1.0	CineGrey	2.36"/6cm
R138H1-Wide	138" (2.35:1)	54.0	126.9	137.2	322.3	No	33.7	51.0	15.3	23.1	134.75"x9.25"x4.5"	1.0	CineGrey	2.36"/6cm

Cinema235 Series: Cinema Scope Fixed Frame Front Projection Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
R85WH1W-A1080	85" (2.35:1)	33.0	77.6	83.8	197.0	Yes	21.0	27.0	9.5	12.2	86"x9"x4"	1.0	AcousticPro1080	2.36"/6cm
R96WH1W-A1080	96" (2.35:1)	37.5	88.1	95.3	223.8	Yes	25.5	33.6	11.6	15.2	96.5"x4.4"x9.25"	1.0	AcousticPro1080	2.36"/6cm
R103WH1W-A1080	103" (2.35:1)	40.5	95.2	102.9	241.7	Yes	27.0	35.6	12.2	16.1	102.4"x9.25"x4.13"	1.0	AcousticPro1080	2.36"/6cm
R115WH1W-A1080	115" (2.35:1)	45.1	106.0	114.6	269.2	No	27.7	40.0	12.6	18.1	113.4"x9.12"x4.12"	1.0	AcousticPro1080	2.36"/6cm
R125WH1W-A1080	125" (2.35:1)	49.0	115.2	124.5	292.5	No	29.5	44.0	13.4	20.0	122.5"x9.13"x4.25"	1.0	AcousticPro1080	2.36"/6cm
R138WH1W-A1080	138" (2.35:1)	54.0	126.9	137.2	322.3	No	33.7	51.0	15.3	23.1	134.75"x9.25"x4.5"	1.0	AcousticPro1080	2.36"/6cm
R158WH1W-A1080	158" (2.35:1)	65.7	145.0	166.9	368.3	No						1.0	AcousticPro1080	2.36"/6cm
R166WH1W-A1080	166" (2.35:1)	65.0	152.8	165.1	388.0	No						1.0	AcousticPro1080	2.36"/6cm
R176WH1W-A1080	176" (2.35:1)	69.0	162.0	175.3	411.5	No						1.0	AcousticPro1080	2.36"/6cm

Cinema235 Series Dimension Table

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Frame Width (C)	Frame Height (D)
R85H-WIDE	85" (2.35:1)	2106.0	1986.0	965.0	845.0	60.0	40.0
R96H-WIDE	96" (2.35:1)	2364.0	2244.0	1075.0	955.0	60.0	40.0
R103H-WIDE	103" (2.35:1)	2527.0	2407.0	1144.0	1024.0	60.0	40.0
R115H-WIDE	115" (2.35:1)	2808.0	2688.0	1264.0	1144.0	60.0	40.0
R125H-WIDE	125" (2.35:1)	3041.0	2921.0	1363.0	1243.0	60.0	40.0
R138H-WIDE	138" (2.35:1)	3345.0	3225.0	1492.0	1372.0	60.0	40.0
R158H-WIDE	158" (2.35:1)	3813.0	3693.0	1691.0	1571.0	60.0	40.0
R176H-WIDE	176" (2.35:1)	4233.0	4113.0	1870.0	1750.0	60.0	40.0


Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Frame Width (C)	Frame Height (D)
R85H-WIDE	85" (2.35:1)	82.9	78.2	38.0	33.3	2.4	1.6
R96H-WIDE	96" (2.35:1)	93.1	88.3	42.3	37.6	2.4	1.6
R103H-WIDE	103" (2.35:1)	99.5	94.8	45.0	40.3	2.4	1.6
R115H-WIDE	115" (2.35:1)	110.6	105.8	49.8	45.0	2.4	1.6
R125H-WIDE	125" (2.35:1)	119.7	115.0	53.7	48.9	2.4	1.6
R138H-WIDE	138" (2.35:1)	131.7	127.0	58.7	54.0	2.4	1.6
R158H-WIDE	158" (2.35:1)	150.1	145.4	66.6	61.9	2.4	1.6
R176H-WIDE	176" (2.35:1)	166.7	161.9	73.6	68.9	2.4	1.6

Unit: inch


*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"





StarBright™ 7 Series

- 7.0 High Gain Front Projection Screen Material
- ProAV/Commercial Fixed Frame Screen



FEATURES & BENEFITS

The new StarBright™ 7 ultra high 7-gain front projection material uses a technology of highly reflective layers with an advanced high contrast filter coating to cope with ambient light while boosting enhanced color reproduction with black level contrast.

- Ultra High (7) Gain Front Projection Material for well lit commercial applications
- HCF (High Contrast Filter) enhances bright image reproduction with aided contrast while absorbing ambient light
- Advanced Reflection Layer provides a highly reflective surface suitable for high levels of incidental light
- Finished surface coating maintains the color balance while eliminating “Hot-spotting” artifacts
- Standard sizes in stock: 88" to 206" in 4:3, 16:9 & 16:10 aspect ratios
- Custom sizes are available

See the difference



Elite Screens StarBright™ Screen

Standard Matte White Screen

StarBright™ 7 Series: ProAV and Commercial Fixed Frame Projection Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame
R76GH-G7	76" (16:9)	36.9	65.5	93.7	166.4	No	22.05	40.79	9.8	18.2	77.4"x3.9"x44.9"	7.0	StarBright™ 7	2.36"/6cm
R88GH-G7	88" (16:9)	42.8	76.0	108.7	193.0	No	25.35	44.20	11.3	19.7	83.7"x3.9"x50.4"	7.0	StarBright™ 7	2.36"/6cm
R92GH-G7	92" (16:9)	45.0	80.0	114.3	203.2	No						7.0	StarBright™ 7	2.36"/6cm
R103GH-G7	103" (16:9)	50.5	89.8	132.1	234.2	No	27.56	47.40	12.3	21.1	97.24"x3.9"x58.1"	7.0	StarBright™ 7	2.36"/6cm
R121GH-G7	121" (16:9)	59.0	104.8	149.9	266.3	No	29.76	49.60	13.3	22.1	169"x3.94"x61.6"	7.0	StarBright™ 7	2.36"/6cm
PVR110GV-G7	110" (4:3)	65.4	87.3	166.2	221.7	No	30.14	N/A	13.70	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR126GV-G7	126" (4:3)	75.0	100.1	190.6	254.2	No	34.54	N/A	15.70	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR146GV-G7	146" (4:3)	87.0	116.1	221.1	294.8	No	39.6	N/A	18.00	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR182GV-G7	182" (4:3)	108.7	144.9	276.1	368.1	No	48.8	N/A	22.20	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR119GX-G7	119" (16:10)	62.6	100.2	159.1	254.6	No	31.9	N/A	14.50	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR144GX-G7	144" (16:10)	75.9	121.4	192.8	308.4	No	38.5	N/A	17.50	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR170GX-G7	170" (16:10)	89.7	143.5	227.8	364.4	No	45.1	N/A	20.50	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR206GX-G7	206" (16:10)	108.9	174.3	276.7	442.8	No	54.1	N/A	24.60	N/A	N/A	7.0	StarBright™ 7	3.5"/8.9cm
PVR103GW-G7	103" (2.35:1)	40.5	95.2	102.9	241.7	Yes	27.0	35.6	12.2	16.1	102.4"x9.25"x4.13"	7.0	StarBright™ 7	3.5"/8.9cm
PVR115GW-G7	115" (2.35:1)	45.1	106.0	114.6	269.2	No						7.0	StarBright™ 7	3.5"/8.9cm
PVR125GW-G7	125" (2.35:1)	49.0	115.2	124.5	292.5	No	29.5	44.0	13.4	20.0	122.5"x9.13"x4.25"	7.0	StarBright™ 7	3.5"/8.9cm

ezFrame StarBright™ 7 Series Dimension Table

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Frame Width (C)	Frame Height (D)
R76H-G7	76" (16:9)	1802	1682.0	1066	946.0	60	40
R88H-G7	88" (16:9)	2068	1948.0	1216	1096.0	60	40
R103H-G7	103" (16:9)	2400	2280.0	1403	1283.0	60	40
R121H-G7	121" (16:9)	2799	2679.0	1627	1507.0	60	40
R110GV-G7	110" (4:3)	2355	2235.0	1796	1676.0	60	40
R126GV-G7	126" (4:3)	2700	2580.0	2055	1935.0	60	40
R146GV-G7	146" (4:3)	3087	2967.0	2345	2225.0	60	40
R182GV-G7	180" (4:3)	3818	3698.0	2894	2774.0	60	40
R119GX-G7	119" (16:10)	2683	2563.0	1722	1602.0	60	40
R144GX-G7	144" (16:10)	3222	3102.0	2058	1938.0	60	40
R170GX-G7	171" (16:10)	3803	3683.0	2422	2302.0	60	40
R206GX-G7	206" (16:10)	4557	4437.0	2893	2773.0	60	40


Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Frame Width (C)	Frame Height (D)
R76H-G7	76" (16:9)	70.9	66.2	42.0	37.2	2.4	1.6
R88H-G7	88" (16:9)	81.4	76.7	47.9	43.1	2.4	1.6
R103H-G7	103" (16:9)	94.5	89.8	55.2	50.5	2.4	1.6
R121H-G7	121" (16:9)	110.2	105.5	64.1	59.3	2.4	1.6
R110GV-G7	110" (4:3)	92.7	88.0	70.7	66.0	2.4	1.6
R126GV-G7	126" (4:3)	106.3	101.6	80.9	76.2	2.4	1.6
R146GV-G7	146" (4:3)	121.5	116.8	92.3	87.6	2.4	1.6
R182GV-G7	180" (4:3)	150.3	145.6	113.9	109.2	2.4	1.6
R119GX-G7	119" (16:10)	105.6	100.9	67.8	63.1	2.4	1.6
R144GX-G7	144" (16:10)	126.9	122.1	81.0	76.3	2.4	1.6
R170GX-G7	171" (16:10)	149.7	145.0	95.4	90.6	2.4	1.6
R206GX-G7	206" (16:10)	179.4	174.7	113.9	109.2	2.4	1.6

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"



Lunette Series

- Curved Frame Home Theatre Projection Screen



FEATURES & BENEFITS

- Fixed Curved Frame Home Theater Front Projection Screen
- Velvet covered 3.5" width aluminum frame border
- Slideable wall mount design for easy horizontal movement
- 160° Viewing Angle for wide diffusion uniformity
- Black backed screen material eliminates light penetration
- Available in diagonal sizes 85" - 166" (2.35:1) and 84" - 150" (16:9)
- Choice of **CineWhite** Gain 1.1 or **AcousticPro1080™** (acoustic transparent) Gain 1.0 screen material
- 2-year Premium Warranty



Lunette Series: Curved Frame Home Theatre Projection Screen

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame	Frame Width
Curve235-85	85" (2.35:1)	33.0	77.6	83.8	197.1							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-96	96" (2.35:1)	37.5	88.1	95.3	223.8							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-103	103" (2.35:1)	40.5	95.2	102.9	241.8							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-115	115" (2.35:1)	45.1	106.0	114.6	269.2							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-125	125" (2.35:1)	49.0	115.2	124.5	292.6							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-138	138" (2.35:1)	54.0	126.9	137.2	322.3							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-158	158" (2.35:1)	61.7	145.0	156.7	368.3							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-166	166" (2.35:1)	65.0	152.8	165.1	388.1							1.1	CineWhite	Yes	3.5" (10cm)
Curve235-85A1080	85" (2.35:1)	33.0	77.6	83.8	197.1							1.0	CineWhite	Yes	3.5" (10cm)
Curve235-96A1080	96" (2.35:1)	37.5	88.1	95.3	223.8							1.0	CineWhite	Yes	3.5" (10cm)
Curve235-103A1080	103" (2.35:1)	40.5	95.2	102.9	241.8							1.0	CineWhite	Yes	3.5" (10cm)
Curve235-115A1080	115" (2.35:1)	45.1	106.0	114.6	269.2							1.0	CineWhite	Yes	3.5" (10cm)
Curve235-125A1080	125" (2.35:1)	49.0	115.2	124.5	292.6							1.0	CineWhite	Yes	3.5" (10cm)
Curve235-138A1080	138" (2.35:1)	54.0	126.9	137.2	322.3							1.0	CineWhite	Yes	3.5" (10cm)
Curve235-158A1080	158" (2.35:1)	61.7	145.0	156.7	368.3							1.0	CineWhite	Yes	3.5" (10cm)
Curve235-166A1080	166" (2.35:1)	65.0	152.8	165.1	388.1							1.0	CineWhite	Yes	3.5" (10cm)

Lunette Series Dimension Table

Model	Screen Diag. & Aspect Ratio	Overall Length (A)	View Width (A1)	Frame Width (A2)	Overall Height (B)	View Height (B1)	B2	C	Frame (D)	E
Curve235-85	85" (2.35:1)	2166	1986	90	1025	845	90	86	40	1050
Curve235-96	96" (2.35:1)	2423	2243	90	1134	954	90	98	40	1150
Curve235-103	103" (2.35:1)	2587	2407	90	1204	1024	90	106	40	1200
Curve235-115	115" (2.35:1)	2867	2687	90	1323	1143	90	122	40	1300
Curve235-125	125" (2.35:1)	3101	2921	90	1423	1243	90	136	40	1500
Curve235-138	138" (2.35:1)	3405	3225	90	1552	1372	90	158	40	1600
Curve235-158	158" (2.35:1)	3872	3692	90	1751	1571	90	192	40	1750
Curve235-166	166" (2.35:1)	4060	3880	90	1831	1651	90	N/A	40	N/A


Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	Overall Length (A)	View Width (A1)	Frame Width (A2)	Overall Height (B)	View Height (B1)	B2	C	Frame (D)	E
Curve235-85	85" (2.35:1)	85.3	78.2	3.5	40.4	33.3	3.5	3.4	1.6	41.3
Curve235-96	96" (2.35:1)	95.4	88.3	3.5	44.6	37.6	3.5	3.9	1.6	45.3
Curve235-103	103" (2.35:1)	101.9	94.8	3.5	47.4	40.3	3.5	4.2	1.6	47.2
Curve235-115	115" (2.35:1)	112.9	105.8	3.5	52.1	45.0	3.5	4.8	1.6	51.2
Curve235-125	125" (2.35:1)	122.1	115.0	3.5	56.0	48.9	3.5	5.4	1.6	59.1
Curve235-138	138" (2.35:1)	134.1	127.0	3.5	61.1	54.0	3.5	6.2	1.6	63.0
Curve235-158	158" (2.35:1)	152.4	145.4	3.5	68.9	61.9	3.5	7.6	1.6	68.9
Curve235-166	166" (2.35:1)	159.8	152.8	3.5	72.0	65.0	3.5	N/A	1.6	N/A

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"




WhiteBoardScreen™ Series

- Dual Purpose White Board Front Projection Screen
- High gain 4.0 angular reflective screen



FEATURES & BENEFITS

- Cutting-edge design combines projection screen and dry erase board into one space-saving economical product
- StarBright4™ with 4.0 gain projection surface is coated with a transparent dry-erase layer for Training Presentations
- High reflectivity is ideal for presentations with high levels of ambient light
- For energy conservation and extended projector lamp life, use projector on economy mode. The StarBright™ material will enhance image brightness
- Unique optical coating supports high uniformity and picture clarity
- Contrast enhancements Improve Picture Black Levels for greater resolution and balanced color temperature
- Available Sizes: 60" & 80" (4:3) and 95"(16:9)



WhiteBoardScreen™ Series: Fixed Frame Front Projection Screen for Entry Home Cinema Projector

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Dry Erase Pen/Eraser Included
WB60V	60" (4:3)	34.6	46.5	88.0	118.0	Yes	34.4	39.7	15.3	17.7	52.4"x3.2"x41"	4.0	StarBright™ 4	Included
WB80V	80" (4:3)	46.5	62.2	118.0	158.0	No	57.3	72.8	25.5	32.4	68.11"x3.15"x52.4"	4.0	StarBright™ 4	Included
WB96H	95" (16:9)	46.5	81.9	118.0	208.0	No	88.2	99.2	39.3	44.2	131.1"x3.15"x52.4"	4.0	StarBright™ 4	Included

WhiteBoardScreen™ Series Dimension Table


Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Tray Length (A2)	B2	C1	C2
WB60V	60" (4:3)	1235.0	1190.0	935.0	890.0	1000.0	835	114	160
WB80V	80" (4:3)	1635.0	1590.0	1235.0	1190.0	1400.0	1135	145	228
WB96H	95" (16:9)	2135.0	2090.0	1235.0	1190.0	1900.0	1135	125	187

Unit: mm

Model	Screen Diag. & Aspect Ratio	Overall Width (A)	Viewing Width (A1)	Overall Height (B)	Viewing Height (B1)	Tray Length (A2)	B2	C1	C2
WB60V	60" (4:3)	48.6	46.9	36.8	35.0	39.4	32.9	4.5	6.3
WB80V	80" (4:3)	64.4	62.6	48.6	46.9	55.1	44.7	5.7	9.0
WB96H	95" (16:9)	84.1	82.3	48.6	46.9	74.8	44.7	4.9	7.4

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"



Elite PrimeVision Series

- Custom Install Fixed Frame Projection Screen
- Premium Grade Home Theater Screen



FEATURES & BENEFITS

- Perfect Tension Uniformity
- Standard black backed screen material eliminates light penetration
- Anodized black aluminum 3.5" thick frame with black velour surfacing
- 16:9 HDTV aspect ratio surface
- Select Screen surface from
 - » CineWhite (1.1 GAIN)
 - » CineGrey (1.0 GAIN)
 - » PowerGain (1.8 GAIN)
 - » AcousticPro1080 (1.0 GAIN)
- Easy to assemble and install in minutes
- Sliding wall mounts to ensure the installation is properly centered
- 160° wide viewing angle
- Sizes available from 84" to 200"
- Split frame design for added protection during shipment & storage
- Lifetime parts and labor manufacturer's warranty



The Elite PrimeVision Series stocks all sizes of fixed frame screens with 3.5" velour surfaced frames from 84" to 200" size options. (up to 400" available by special request)


The seamless material comes in 16:9 and 2.35" formats. Choose from CineWhite™, CineGrey™, PowerGain™ and AcousticPro1080™ material options.




CineWhite Tension Screen Material has a wide viewing Angle in 1.1 Gain, suitable for most applications including commercial and home theater presentations.



CineGrey Tension Screen Material is best for those using low contrast ratio (LCD) projectors in a home theater environment and need to improve picture black levels.



AcousticPro1080™ material is designed for use with a native 1080P front projector. It has a special fabric weave for acoustic transparency that greatly reduces light penetration. It is a 1.0 Gain matte white mesh material with outstanding sound quality, damping at 20 KHz only 2.0dB and Max. Attenuation at 20cm is around 1.1db. The side-weave mesh pattern has only a 8% light loss, and coated fabric provides true color rendition to ensure both audio and video quality with each presentation. The Elite AcousticPro1080 Woven Acoustically Transparent Screen is your best choice for use with high quality in-wall audio installations and 1080P projectors and has a detachable black-backing on its fixed frame models.



PowerGain is a 1.8 Gain pearlescent material that enhances the color reproduction with low output/high resolution projectors in a home theater environment.



Wraith Veil Elite's rear projection screen material comes in 2.2 high gain to be used in ambient light environments, such as tradeshow, meeting rooms, and outside evening presentations. Its special surface coating enhances color reproduction and black level reproduction with wide diffusion for multiple applications. Optional seamless screen sizes are available up to 200" in 4:3 and 16:9 aspect ratios.




“I found that it had a decent reflectivity to it, but didn't suffer too much from hot spotting (which obviously you would expect from a lower gain screen), nor did it have any sparkles or other anomalies to it. Elite certainly has a good idea here. Good performance, good build quality, and good features in a screen, for a lower price point.”

AV Science, NY

By comparison, the Firehawk® screen tends to reject ambient light from the side, a little better than the ezFrame by Elite. (All's fair - an equivalent

Firehawk fixed wall projector screen is much over double the price. Color was virtually identical, but yellows did appear just a touch stronger than on the Firehawk®. This was very close and not an issue. Overall color was very good. With a 100" 16:9 Elite ezFrame screen selling for about half of a Da-Lite Cinema Contour with ProTrim (their fancy velourish border), and barely a 1/3 of a Stewart Luxus Deluxe, it allows home theater people to own an attractive looking fixed wall screen, with good performance, at a price that simply isn't available from the larger established brands.


Art Feierman / Projectorreviews.com



Standard Ultra-Wide 3.5" Black Velvet Trim Frame absorbs light overshoot. It enhances the perceived brightness of an image on a screen for a sharper picture with brighter color reproduction.

Easy Snap-On Frame Tension System, makes it quick and easy to get perfect tension uniformity the first time.

Features include standard black backing to eliminate light penetration for superior color reproduction.



Easy Snap-On Frame Tension System, makes it quick and easy to get perfect tension uniformity the first time.

Features include standard **black backing** to eliminate light penetration for superior color reproduction.

Elite PrimeVision Series: Custom Install Fixed Frame Front Projector Screen for Premium Home Cinema Projector

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
PVR84GH1	84" (16:9)	41.1	73.0	104.4	185.4	Yes	19.0	26.0	8.6	11.8	83"x7"x8"	1.8	PowerGain	3.5"/8.9cm
PVR84H1	84" (16:9)	41.1	73.0	104.4	185.4	Yes	19.0	26.0	8.6	11.8	83"x7"x8"	1.0	CineGrey	3.5"/8.9cm
PVR84WH1	84" (16:9)	41.1	73.0	104.4	185.4	Yes	19.0	26.0	8.6	11.8	83"x7"x8"	1.1	CineWhite	3.5"/8.9cm
PVR92GH1	92" (16:9)	45.0	80.0	114.3	203.2	Yes	23.0	30.0	10.4	13.6	90"x7"x8"	1.8	PowerGain	3.5"/8.9cm
PVR92H1	92" (16:9)	45.0	80.0	114.3	203.2	Yes	23.0	30.0	10.4	13.6	90"x7"x8"	1.0	CineGrey	3.5"/8.9cm
PVR92WH1	92" (16:9)	45.0	80.0	114.3	203.2	Yes	23.0	30.0	10.4	13.6	86.5"x4"x9"	1.1	CineWhite	3.5"/8.9cm
PVR100H1	100" (16:9)	49.0	87.0	124.5	221.0	Yes	26.0	36.0	11.8	16.3	94"x4"x9"	1.0	CineGrey	3.5"/8.9cm
PVR100WH1	100" (16:9)	49.0	87.0	124.5	221.0	Yes	26.0	36.0	11.8	16.3	94"x4"x9"	1.1	CineWhite	3.5"/8.9cm
PVR106GH1	106" (16:9)	51.8	92.0	131.6	233.7	Yes	28.0	38.0	12.7	17.2	99"x4"x9"	1.8	PowerGain	3.5"/8.9cm
PVR106H1	106" (16:9)	51.8	92.0	131.6	233.7	Yes	28.0	38.0	12.7	17.2	99"x4"x9"	1.0	CineGrey	3.5"/8.9cm
PVR106WH1	106" (16:9)	51.8	92.0	131.6	233.7	Yes	28.0	38.0	12.7	17.2	99"x4"x9"	1.1	CineWhite	3.5"/8.9cm
PVR110WH1	110" (16:9)	54.0	96.0	137.2	243.8	Yes	28.7	40.8	13.0	18.5	66"x5"x12"	1.1	CineWhite	3.5"/8.9cm
PVR120GH1	120" (16:9)	58.5	104.0	148.6	264.2	Yes	30.0	43.0	13.6	19.5	70"x5"x12"	1.8	PowerGain	3.5"/8.9cm
PVR120H1	120" (16:9)	58.5	104.0	148.6	264.2	Yes	30.0	43.0	13.6	19.5	70"x5"x12"	1.0	CineGrey	3.5"/8.9cm
PVR120WH1	120" (16:9)	58.5	104.0	148.6	264.2	Yes	30.0	43.0	13.6	19.5	70"x5"x12"	1.1	CineWhite	3.5"/8.9cm
PVR135GH1	135" (16:9)	66.2	117.7	168.1	299.0	Yes	32.0	47.0	14.5	21.3	77"x5"x12"	1.8	PowerGain	3.5"/8.9cm
PVR135H1	135" (16:9)	66.2	117.7	168.1	299.0	Yes	32.0	47.0	14.5	21.3	77"x5"x12"	1.0	CineGrey	3.5"/8.9cm
PVR135WH1	135" (16:9)	66.2	117.7	168.1	299.0	Yes	32.0	47.0	14.5	21.3	77"x5"x12"	1.1	CineWhite	3.5"/8.9cm
PVR150GH1	150" (16:9)	73.6	130.7	186.9	332.0	Yes	40.0	54.0	18.1	24.5	84"x5"x12"	1.8	PowerGain	3.5"/8.9cm
PVR150H1	150" (16:9)	73.6	130.7	186.9	332.0	Yes	40.0	54.0	18.1	24.5	84"x5"x12"	1.0	CineGrey	3.5"/8.9cm
PVR150WH1	150" (16:9)	73.6	130.7	186.9	332.0	Yes	40.0	54.0	18.1	24.5	84"x5"x12"	1.1	CineWhite	3.5"/8.9cm
PVR165GH1	165" (16:9)	81.0	144.0	205.7	365.8	Yes	46.0	60.0	20.9	27.2	92"x5"x12"	1.8	PowerGain	3.5"/8.9cm
PVR165H1	165" (16:9)	81.0	144.0	205.7	365.8	Yes	46.0	60.0	20.9	27.2	92"x5"x12"	1.0	CineGrey	3.5"/8.9cm
PVR165WH1	165" (16:9)	81.0	144.0	205.7	365.8	Yes	46.0	60.0	20.9	27.2	92"x5"x12"	1.1	CineWhite	3.5"/8.9cm
PVR180WH1	180" (16:9)	88.3	156.9	224.3	398.5	No	60.0	75.0	27.2	34.0	166"x7"x8"	1.1	CineWhite	3.5"/8.9cm
PVR200WH1	200" (16:9)	98.0	174.0	248.9	442.0	No	70.0	86.0	31.8	39.0	184"x7"x8"	1.1	CineWhite	3.5"/8.9cm

Elite PrimeVision Series: Custom Install Sound Transparent Fixed Frame Front Projector Screen for Premium Home Cinema Projector

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	UPS or FedEx	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Black Velvet Frame Width
PVR100WH1-A1080	100" (16:9)	49.0	87.0	124.5	221.0	Yes	26.0	36.0	11.8	16.3	94"x4"x9"	1.0	AcousticPro1080	3.5"/8.9cm
PVR106WH1-A1080	106" (16:9)	51.8	92.0	131.6	233.7	Yes	28.0	38.0	12.7	17.2	99"x4"x9"	1.0	AcousticPro1080	3.5"/8.9cm
PVR120WH1-A1080	120" (16:9)	58.5	104.0	148.6	264.2	Yes	30.0	43.0	13.6	19.5	70"x5"x12"	1.0	AcousticPro1080	3.5"/8.9cm
PVR135WH1-A1080	135" (16:0)	66.2	117.7	168.1	299.0	Yes	32.0	47.0	14.5	21.3	77"x5"x12"	1.0	AcousticPro1080	3.5"/8.9cm
PVR150WH1-A1080	150" (16:9)	73.6	130.7	186.9	332.0	Yes	40.0	54.0	18.1	24.5	84"x5"x12"	1.0	AcousticPro1080	3.5"/8.9cm
PVR165WH1-A1080	165" (16:9)	81.0	144.0	205.7	365.8	Yes	46.0	60.0	20.9	27.2	92"x5"x12"	1.0	AcousticPro1080	3.5"/8.9cm
PVR180WH1-A1080	180" (16:9)	88.3	156.9	224.3	398.5	No	60.0	75.0	27.2	34.0	166"x7"x8"	1.0	AcousticPro1080	3.5"/8.9cm
PVR199WH1-A1080	200" (16:9)	98.0	174.0	248.9	442.0	No	70.0	86.0	31.8	39.0	184"x7"x8"	1.0	AcousticPro1080	3.5"/8.9cm

Elite PrimeVision Dream Window Series Dimension Table

Model	Screen Diag. & Aspect Ratio	View Width (A)	Overall Width (A1)	View Height (B)	Overall Height (B1)	Frame Width (C)	Frame Height (D)
PVR84H	84" (16:9)	1860.0	2040.0	1045.0	1225.0	90.0	40.0
PVR92H	92" (16:9)	2040.0	2220.0	1145.0	1325.0	90.0	40.0
PVR100H	100" (16:9)	2214.0	2394.0	1245.0	1425.0	90.0	40.0
PVR106H	106" (16:9)	2350.0	2530.0	1320.0	1500.0	90.0	40.0
PVR110H	110" (16:9)	2438.0	2618.0	1371.0	1551.0	90.0	40.0
PVR120H	120" (16:9)	2660.0	2840.0	1495.0	1675.0	90.0	40.0
PVR135H	135" (16:9)	2990.0	3170.0	1680.0	1860.0	90.0	40.0
PVR150H	150" (16:9)	3320.0	3500.0	1868.0	2048.0	90.0	40.0
PVR165H	165" (16:9)	3652.0	3832.0	2055.0	2235.0	90.0	40.0
PVR180H	180" (16:9)	3986.0	4166.0	2240.0	2420.0	90.0	40.0
PVR200H	200" (16:9)	4430.0	4610.0	2490.0	2670.0	90.0	40.0

Unit: mm

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

Model	Screen Diag. & Aspect Ratio	View Width (A)	Overall Width (A1)	View Height (B)	Overall Height (B1)	Frame Width (C)	Frame Height (D)
PVR84H	84" (16:9)	1860.0	2040.0	1045.0	1225.0	90.0	40.0
PVR92H	92" (16:9)	2040.0	2220.0	1145.0	1325.0	90.0	40.0
PVR100H	100" (16:9)	2214.0	2394.0	1245.0	1425.0	90.0	40.0
PVR106H	106" (16:9)	2350.0	2530.0	1320.0	1500.0	90.0	40.0
PVR110H	110" (16:9)	2438.0	2618.0	1371.0	1551.0	90.0	40.0
PVR120H	120" (16:9)	2660.0	2840.0	1495.0	1675.0	90.0	40.0
PVR135H	135" (16:9)	2990.0	3170.0	1680.0	1860.0	90.0	40.0
PVR150H	150" (16:9)	3320.0	3500.0	1868.0	2048.0	90.0	40.0
PVR165H	165" (16:9)	3652.0	3832.0	2055.0	2235.0	90.0	40.0
PVR180H	180" (16:9)	3986.0	4166.0	2240.0	2420.0	90.0	40.0
PVR200H	200" (16:9)	4430.0	4610.0	2490.0	2670.0	90.0	40.0

Unit: inch

*Measurement dimensions are intended as a reference only and subject to change without notice. Note: Data Error ±1"

